

High Blood Cholesterol (Males Age 35+, Females Age 45+)

High Blood Cholesterol (Males Age 35+, Females Age 45+)

- Most recent data (2013): 41% or about 379,600 King County adults [about 218,600 men (42%) and about 161,000 women (40%)].
- Trend over time: 2001-13: flat
- Description: Ever been told by a doctor, nurse, or other health professional you have high blood cholesterol (men age 35+ and women age 45+ who have been checked for blood cholesterol)
- Healthy People 2020 Goal: 14% or lower

High blood cholesterol (males age 35+, females age 45+), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (males age 35+, females age 45+)	44	42	46
AGE			
45-54	35	32	39
55-64	48	44	51
65-99	56	53	59
SUBPOPS			
GENDER			
Male	45	42	48
Female	43	40	45
RACE/ETHNICITY			
AIAN	*	*	*
Asian	41	34	48
Black	38	30	48
Hispanic	47	36	58
Multiple	44	31	58
NHPI	*	*	*
White	45	43	47
HOUSEHOLD INCOME			
<\$15,000	53	44	63
\$15,000 to \$24,999	56	49	62
\$25,000 to \$34,999	49	42	56
\$35,000 to \$49,999	45	39	51
\$50,000 to \$74,999	48	43	53
\$75,000+	38	35	41
REGION			
East	43	40	46
North	49	42	57
Seattle	40	37	44
South	47	44	50
STATE			
Washington State	46	45	47

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

High blood cholesterol (males age 35+, females age 45+)

King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

High blood cholesterol (males age 35+, females age 45+) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (males age 35+, females age 45+)	44	42	46
Auburn	48	37	58
..Auburn-North	47	35	58
..Auburn-South	49	31	67
Bear Creek/Carnation/Duvall	42	34	50
Bellevue	42	35	49
..Bellevue-Central	38	26	52
..Bellevue-NE	51	40	63
..Bellevue-South	44	31	58
..Bellevue-West	32	21	46
Black Diamond/Enumclaw/SE County	45	36	55
Bothell/Woodinville	55	38	70
Burien	49	38	59
Covington/Maple Valley	49	37	61
Des Moines/Normandy Park	46	35	58
East Federal Way	52	36	67
Fairwood	44	30	59
Federal Way	60	49	70
..Fed Way-Central/Military Rd	69	55	80
..Fed Way-Dash Point/Woodmont	41	29	54
Issaquah	40	24	58
Kenmore/LFP	46	32	61
Kent	44	36	52
..Kent-East	41	29	55
..Kent-SE	44	33	56
..Kent-West	45	27	64
Kirkland	47	39	55
..Kirkland	48	37	59
..Kirkland North	45	34	56
Mercer Isle/Pt Cities	34	26	43
Newcastle/Four Creeks	41	30	53
North Highline	*	*	*
Redmond	38	28	51
Renton	46	38	53
..Renton-East	44	31	57
..Renton-North	50	34	66
..Renton-South	44	34	55
Sammamish	43	35	51
SeaTac/Tukwila	42	30	55
Seattle	40	37	44
..Ballard	45	36	54
..Beacon/Gtown/S.Park	62	45	76
..Capitol Hill/E.lake	37	24	53
..Central Seattle	32	21	44
..Delridge	23	15	35
..Downtown	53	34	71
..Fremont/Greenlake	36	26	49
..NE Seattle	40	32	49
..North Seattle	44	35	53
..NW Seattle	41	31	52
..QA/Magnolia	42	29	57
..SE Seattle	47	32	63
..West Seattle	30	22	38
Shoreline	49	40	58
Snoqualmie/North Bend/Skykomish	56	45	66
Vashon Island	52	39	65

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

High blood cholesterol (males age 35+, females age 45+) by health reporting areas, King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 07/2016.

High blood cholesterol (males age 35+, females age 45+) King County, 2001-2013, three-year rolling averages



Trends over time: King County (2001-13: flat); East KC (2001-13: flat); North KC (2001-13: flat);
Seattle (2001-13: flat); South KC (2001-09: ; 2009-13: flat); Washington State (2001-13: flat)
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
07/16